

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 02	LMEDLINE coverage updated
NEWS	3	JUL 02	SCISEARCH enhanced with complete author names
NEWS	4	JUL 02	CHEMCATS accession numbers revised
NEWS	5	JUL 02	CA/CAPLUS enhanced with utility model patents from China
NEWS	6	JUL 16	CAPLUS enhanced with French and German abstracts
NEWS	7	JUL 18	CA/CAPLUS patent coverage enhanced
NEWS	8	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS	9	JUL 30	USGENE now available on STN
NEWS	10	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	11	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	12	AUG 13	CA/CAPLUS enhanced with additional kind codes for granted patents
NEWS	13	AUG 20	CA/CAPLUS enhanced with CAS indexing in pre-1907 records
NEWS	14	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	15	AUG 27	USPATOLD now available on STN
NEWS	16	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS	17	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS	18	SEP 13	FORIS renamed to SOFIS
NEWS	19	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS	20	SEP 17	CA/CAPLUS enhanced with printed CA page images from 1967-1998
NEWS	21	SEP 17	CAPLUS coverage extended to include traditional medicine patents
NEWS	22	SEP 24	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	23	OCT 02	CA/CAPLUS enhanced with pre-1907 records from Chemisches Zentralblatt
NEWS	24	OCT 19	BEILSTEIN updated with new compounds
NEWS	25	NOV 15	Derwent Indian patent publication number format enhanced
NEWS	26	NOV 19	WPIX enhanced with XML display format
NEWS EXPRESS	19	SEPTEMBER 2007:	CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 06:39:55 ON 20 NOV 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 06:40:04 ON 20 NOV 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 18 NOV 2007 HIGHEST RN 954747-20-7

DICTIONARY FILE UPDATES: 18 NOV 2007 HIGHEST RN 954747-20-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007



Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10518714.str



chain nodes :
 11 12 13 14
 ring nodes :
 1 2 3 4 5 6 8 17 18 19 20 21 22 23 24 25 26 27 28 29 30
 chain bonds :
 11-12 11-14 12-13 12-17
 ring bonds :
 1-2 1-6 1-8 2-3 3-4 4-5 4-8 5-6 17-18 17-22 18-19 18-27 19-20 19-30
 20-21 21-22 21-23 22-26 23-24 24-25 25-26 27-28 28-29 29-30
 exact/norm bonds :
 1-2 1-6 1-8 2-3 3-4 4-5 4-8 5-6 11-12 11-14 12-13 12-17 17-18 17-22
 19-20 20-21
 normalized bonds :
 18-19 18-27 19-30 21-22 21-23 22-26 23-24 24-25 25-26 27-28 28-29 29-30
 isolated ring systems :
 containing 1 : 17 :

G1:C,H

G2:C,O,S

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 8:Atom 11:CLASS 12:CLASS
 13:CLASS 14:CLASS 16:CLASS 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom
 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 C,H

G2 C,O,S

Structure attributes must be viewed using STN Express query preparation.

=> s l1 full

FULL SEARCH INITIATED 06:40:23 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 15646 TO ITERATE

100.0% PROCESSED 15646 ITERATIONS

28 ANSWERS

SEARCH TIME: 00.00.01

L2 28 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.10

172.31

FILE 'CAPLUS' ENTERED AT 06:40:27 ON 20 NOV 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Nov 2007 VOL 147 ISS 22

FILE LAST UPDATED: 19 Nov 2007 (20071119/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l2 full

L3 1 L2

=> d ibib abs hitstr tot

L3 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:41467 CAPLUS

DOCUMENT NUMBER: 140:94180

TITLE: Preparation of new quinuclidine amide derivatives for
therapeutic uses as antagonists of M3 muscarinic
receptors

INVENTOR(S): Prat Quinones, Maria

PATENT ASSIGNEE(S): Almirall Prodesfarma S.A., Spain

SOURCE: PCT Int. Appl., 65 pp.

CODEN: PIXXD2



DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004005285	A1	20040115	WO 2003-EP6708	20030625
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
ES 2204295	A1	20040416	ES 2002-1539	20020702
ES 2204295	B1	20050801		
CA 2492535	A1	20040115	CA 2003-2492535	20030625
AU 2003242757	A1	20040123	AU 2003-242757	20030625
EP 1519933	A1	20050406	EP 2003-762514	20030625
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003012216	A	20050412	BR 2003-12216	20030625
CN 1678610	A	20051005	CN 2003-820648	20030625
JP 2005533826	T	20051110	JP 2004-518575	20030625
NZ 537341	A	20060428	NZ 2003-537341	20030625
MX 2004PA12271	A	20050408	MX 2004-PA12271	20041207
ZA 2004010404	A	20050905	ZA 2004-10404	20041223
IN 2004DN04140	A	20061229	IN 2004-DN4140	20041227
NO 2005000164	A	20050404	NO 2005-164	20050112
US 2006167042	A1	20060727	US 2005-518714	20050801
PRIORITY APPLN. INFO.:			ES 2002-1539	A 20020702
			WO 2003-EP6708	W 20030625
OTHER SOURCE(S):	MARPAT	140:94180		
GI				



AB N-quinuclidinyl amides, such as I [R1 = H, alkyl; R3 = furyl, thienyl, phenyl; R4 = alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylmethyl, Ph, benzyl, phenethyl, furyl, thienyl; R5 = H, OH, Me, CH2OH], were prepared for use in therapy as antagonists of M3 muscarinic receptors. These amides are claimed for use in the treatment of respiratory, urol. or gastrointestinal pathol. conditions and diseases susceptible to amelioration by antagonism of M3 muscarinic receptors. Thus, amide II was prepared in 63.1% yield via an amidation reaction of (3R)-aminoquinuclidine with 2-phenylhexanoic acid in DMF and CHCl3. The prepared N-quinuclidinyl amides were assayed for human muscarinic receptor binding activity and for effect on bronchial response to i.v. acetylcholine challenge in guinea pigs. Tablet, liquid inhalant, powder inhalant, and inhalation aerosol pharmaceutical compns. of the amides were presented.

IT 644468-35-9P 644468-40-6P


RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(preparation of N-quinuclidinyl amides for use in pharmaceutical compns. as M3 muscarinic receptor antagonists)

RN 644468-35-9 CAPLUS

CN 9H-Xanthene-9-carboxamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-40-6 CAPLUS

CN 9H-Xanthene-9-carboxamide, N-(3S)-1-azabicyclo[2.2.2]oct-3-yl- (CA INDEX NAME)

Absolute stereochemistry.



IT 644468-22-4P 644468-34-8P 644468-39-3P
 644468-71-3P 644468-72-4P 644468-73-5P
 644468-75-7P 644468-77-9P 644468-79-1P
 644468-80-4P 644468-82-6P 644468-84-8P
 644468-96-2P 644468-97-3P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
 (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
 (Uses)

(preparation of N-quinuclidinyl amides for use in pharmaceutical compns. as
 M3 muscarinic receptor antagonists)

RN 644468-22-4 CAPLUS

CN 9H-Xanthene-9-carboxamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-N-methyl-
 (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-34-8 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-(3-phenoxypropyl)-3-[(9H-xanthen-9-
 ylcarbonyl)amino]-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● Br⁻

RN 644468-39-3 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-(cyclohexylmethyl)-3-[(9H-xanthen-9-
 ylcarbonyl)amino]-, (3S)-, salt with trifluoroacetic acid (1:1) (9CI) (CA
 INDEX NAME)

CM 1

CRN 644468-38-2

CMF C28 H35 N2 O2


Absolute stereochemistry.



CM 2


CRN 14477-72-6

CMF C2 F3 O2




RN 644468-71-3 CAPLUS

CN 9H-Xanthene-9-carboxamide, N-1-azabicyclo[2.2.2]oct-3-yl- (CA INDEX NAME)



RN 644468-72-4 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-methyl-3-[(9H-xanthen-9-ylcarbonyl)amino]-, bromide (9CI) (CA INDEX NAME)



● Br⁻

RN 644468-73-5 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-(3-phenoxypropyl)-3-[(9H-xanthen-9-ylcarbonyl)amino]-, bromide (9CI) (CA INDEX NAME)



● Br⁻

RN 644468-75-7 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-(2-propenyl)-3-[(9H-xanthen-9-ylcarbonyl)amino]-, (3S)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-74-6

CMF C24 H27 N2 O2


Absolute stereochemistry.



CM 2

CRN 14477-72-6

CMF C2 F3 O2



RN 644468-77-9 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-heptyl-3-[(9H-xanthen-9-ylcarbonyl)amino]-, (3S)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-76-8

CMF C28 H37 N2 O2


Absolute stereochemistry.



CM 2

CRN 14477-72-6

CMF C2 F3 O2



RN 644468-79-1 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-(3-cyclohexylpropyl)-3-[(9H-xanthen-9-ylcarbonyl)amino]-, (3S)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-78-0

CMF C30 H39 N2 O2


Absolute stereochemistry.



CM 2

CRN 14477-72-6


CMF C2 F3 O2



RN 644468-80-4 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-(3-phenoxypropyl)-3-[(9H-xanthen-9-ylcarbonyl)amino]-, bromide, (3S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● Br⁻

RN 644468-82-6 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-[3-[(5,6,7,8-tetrahydro-2-naphthalenyl)oxy]propyl]-3-[(9H-xanthen-9-ylcarbonyl)amino]-, (3S)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-81-5

CMF C34 H39 N2 O3


Absolute stereochemistry.



CM 2

CRN 14477-72-6

CMF C2 F3 O2



RN 644468-84-8 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-[5-(2,6-dimethylphenoxy)pentyl]-3-[(9H-xanthen-9-ylcarbonyl)amino]-, (3S)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-83-7

CMF C34 H41 N2 O3


Absolute stereochemistry.



CM 2

CRN 14477-72-6


CMF C2 F3 O2



RN 644468-96-2 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[methyl(9H-xanthen-9-ylcarbonyl)amino]-1-[3-(1H-pyrrol-1-yl)propyl]-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-97-3 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-[3-([1,1'-biphenyl]-4-yloxy)propyl]-3-[methyl(9H-xanthen-9-ylcarbonyl)amino]-, chloride, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● Cl⁻

REFERENCE COUNT:

5

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

5.74

178.05

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-0.78

-0.78

STN INTERNATIONAL LOGOFF AT 06:40:55 ON 20 NOV 2007

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTANXR1625

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 02	LMEDLINE coverage updated
NEWS	3	JUL 02	SCISEARCH enhanced with complete author names
NEWS	4	JUL 02	CHEMCATS accession numbers revised
NEWS	5	JUL 02	CA/CAPLUS enhanced with utility model patents from China
NEWS	6	JUL 16	CAPLUS enhanced with French and German abstracts
NEWS	7	JUL 18	CA/CAPLUS patent coverage enhanced
NEWS	8	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS	9	JUL 30	USGENE now available on STN
NEWS	10	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	11	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	12	AUG 13	CA/CAPLUS enhanced with additional kind codes for granted patents
NEWS	13	AUG 20	CA/CAPLUS enhanced with CAS indexing in pre-1907 records
NEWS	14	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	15	AUG 27	USPATOLD now available on STN
NEWS	16	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS	17	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS	18	SEP 13	FORIS renamed to SOFIS
NEWS	19	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS	20	SEP 17	CA/CAPLUS enhanced with printed CA page images from 1967-1998
NEWS	21	SEP 17	CAPLUS coverage extended to include traditional medicine patents
NEWS	22	SEP 24	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	23	OCT 02	CA/CAPLUS enhanced with pre-1907 records from Chemisches Zentralblatt
NEWS	24	OCT 19	BEILSTEIN updated with new compounds
NEWS	25	NOV 15	Derwent Indian patent publication number format enhanced
NEWS	26	NOV 19	WPIX enhanced with XML display format
NEWS EXPRESS	19	SEPTEMBER 2007:	CURRENT WINDOWS VERSION IS V8.2, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 06:45:15 ON 20 NOV 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 06:45:37 ON 20 NOV 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 19 NOV 2007 HIGHEST RN 954997-95-6

DICTIONARY FILE UPDATES: 19 NOV 2007 HIGHEST RN 954997-95-6

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007



Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10518714b.str



chain nodes :
 11 12 13 14 17 18 20 21
 ring nodes :
 1 2 3 4 5 6 8
 chain bonds :
 11-12 11-14 12-13 12-17 17-18 17-20 17-21
 ring bonds :
 1-2 1-6 1-8 2-3 3-4 4-5 4-8 5-6
 exact/norm bonds :
 1-2 1-6 1-8 2-3 3-4 4-5 5-6 11-12 11-14 12-13 17-18 17-20 17-21
 exact bonds :
 4-8 12-17
 isolated ring systems :
 containing 1 : 17 :

G1:C,H

G2:C,H,OH

G3:C,Cy

Match level :


1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 8:Atom 11:CLASS 12:CLASS
13:CLASS 14:CLASS 16:CLASS 17:Atom 18:Atom 20:CLASS 21:CLASS

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



G1 C,H

G2 C,H,OH

G3 C,Cy

Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 06:45:54 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 5437 TO ITERATE

36.8% PROCESSED 2000 ITERATIONS

1 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: 'ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED ITERATIONS: 104319 TO 113161

PROJECTED ANSWERS: 1 TO 152

L2 1 SEA SSS SAM L1

=> s l1 full

FULL SEARCH INITIATED 06:45:58 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 110042 TO ITERATE

100.0% PROCESSED 110042 ITERATIONS

88 ANSWERS

SEARCH TIME: 00.00.02

L3 88 SEA SSS FUL L1

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

172.10

172.31

FILE 'CAPLUS' ENTERED AT 06:46:05 ON 20 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Nov 2007 VOL 147 ISS 22
FILE LAST UPDATED: 19 Nov 2007 (20071119/ED)


Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13 full
L4 9 L3

=> d ibib abs hitstr tot



L4 ANSWER 1 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:528114 CAPLUS
DOCUMENT NUMBER: 143:259473
TITLE: A quantitative structure-activity relationship study on some Na⁺ and K⁺ channel blockers: Role of molecular connectivity index
AUTHOR(S): Gupta, S. P.; Paleti, Anitha; Mekapati, S. B.; Nagappa, A. N.; Kumaran, S.
CORPORATE SOURCE: Birla Institute of Technology and Science, Pilani, 333031, India
SOURCE: Letters in Drug Design & Discovery (2005), 2(4), 287-290
CODEN: LDDDAW; ISSN: 1570-1808
PUBLISHER: Bentham Science Publishers Ltd.
DOCUMENT TYPE: Journal
LANGUAGE: English
AB A quant. structure-activity relation (QSAR) study is made on a series of Na⁺ channel blockers (diphenylacetamide derivs.) and on a series of K⁺ channel blockers (blockers of cardiac delayed rectifier potassium current IKs) (benzodiazepine derivs.). In both the cases, the blocking activity is significantly correlated with Kier's first-order valence mol. connectivity index.
IT 739310-56-6
RL: PAC (Pharmacological activity); PRP (Properties); BIOL (Biological study)
(QSAR study on Na⁺ and K⁺ channel blockers: role of mol. connectivity index)
RN 739310-56-6 CAPLUS
CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -phenyl- (CA INDEX NAME)



REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:41467 CAPLUS
 DOCUMENT NUMBER: 140:94180
 TITLE: Preparation of new quinuclidine amide derivatives for therapeutic uses as antagonists of M3 muscarinic receptors
 INVENTOR(S): Prat Quinones, Maria
 PATENT ASSIGNEE(S): Almirall Prodesfarma S.A., Spain
 SOURCE: PCT Int. Appl., 65 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004005285	A1	20040115	WO 2003-EP6708	20030625
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
ES 2204295	A1	20040416	ES 2002-1539	20020702
ES 2204295	B1	20050801		
CA 2492535	A1	20040115	CA 2003-2492535	20030625
AU 2003242757	A1	20040123	AU 2003-242757	20030625
EP 1519933	A1	20050406	EP 2003-762514	20030625
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003012216	A	20050412	BR 2003-12216	20030625
CN 1678610	A	20051005	CN 2003-820648	20030625
JP 2005533826	T	20051110	JP 2004-518575	20030625
NZ 537341	A	20060428	NZ 2003-537341	20030625
MX 2004PA12271	A	20050408	MX 2004-PA12271	20041207
ZA 2004010404	A	20050905	ZA 2004-10404	20041223
IN 2004DN04140	A	20061229	IN 2004-DN4140	20041227
NO 2005000164	A	20050404	NO 2005-164	20050112
US 2006167042	A1	20060727	US 2005-518714	20050801
PRIORITY APPLN. INFO.:			ES 2002-1539	A 20020702
			WO 2003-EP6708	W 20030625
OTHER SOURCE(S):			MARPAT 140:94180	
GI				




AB N-quinuclidinyl amides, such as I [R1 = H, alkyl; R3 = furyl, thienyl, phenyl; R4 = alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylmethyl, Ph, benzyl, phenethyl, furyl, thienyl; R5 = H, OH, Me, CH2OH], were prepared for use in therapy as antagonists of M3 muscarinic receptors. These amides are claimed for use in the treatment of respiratory, urol. or gastrointestinal pathol. conditions and diseases susceptible to amelioration by antagonism of M3 muscarinic receptors. Thus, amide II was prepared in 63.1% yield via an amidation reaction of (3R)-aminoquinuclidine with 2-phenylhexanoic acid in DMF and CHCl3. The prepared N-quinuclidinyl amides were assayed for human muscarinic receptor binding activity and for effect on bronchial response to i.v. acetylcholine challenge in guinea pigs. Tablet, liquid inhalant, powder inhalant, and inhalation aerosol pharmaceutical compns. of the amides were presented.

IT 644468-28-0P
 RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 (preparation of N-quinuclidinyl amides for use in pharmaceutical compns. as M3 muscarinic receptor antagonists)

RN 644468-28-0 CAPLUS

CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -2-thienyl- (CA INDEX NAME)

Absolute stereochemistry.



IT 644468-21-3P 644468-24-6P 644468-26-8P
 644468-29-1P 644468-31-5P 644468-33-7P
 644468-42-8P 644468-44-0P 644468-45-1P
 644468-46-2P 644468-48-4P 644468-50-8P
 644468-52-0P 644468-53-1P 644468-55-3P
 644468-56-4P 644468-57-5P 644468-59-7P
 644468-60-0P 644468-61-1P 644468-62-2P
 644468-63-3P 644468-64-4P 644468-65-5P
 644468-66-6P 644468-67-7P 644468-68-8P
 644468-69-9P 644468-70-2P 644468-86-0P
 644468-87-1P 644468-88-2P 644468-89-3P
 644468-90-6P 644468-91-7P 644468-92-8P
 644468-93-9P 644468-94-0P 644469-05-6P
 644469-07-8P 644469-08-9P


RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-quinuclidinyl amides for use in pharmaceutical compns. as
M3 muscarinic receptor antagonists)

RN 644468-21-3 CAPLUS

CN Benzeneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- α -butyl- (CA
INDEX NAME)


Absolute stereochemistry.



RN 644468-24-6 CAPLUS

CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- α -2-thienyl-
(CA INDEX NAME)


Absolute stereochemistry.



RN 644468-26-8 CAPLUS

CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- α -
cyclopentyl- α -hydroxy-, (α S)- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-29-1 CAPLUS

CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-5-bromo- α -
(4-fluoro-3-methylphenyl)- α -hydroxy- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-31-5 CAPLUS

CN 2-Furanacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-hydroxy-α-propyl- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-33-7 CAPLUS

CN 2-Furanacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-hydroxy-α-[2-(4-methoxyphenyl)ethyl]- (CA INDEX NAME)

Absolute stereochemistry.



RN 644468-42-8 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-[3-(3-hydroxyphenoxy)propyl]-, (3R)-, salt with trifluoroacetic acid (1:1) (9CI)
(CA INDEX NAME)

CM 1

CRN 644468-41-7

CMF C26 H31 N2 O4 S2


Absolute stereochemistry.



CM 2


CRN 14477-72-6

CMF C2 F3 O2




RN 644468-44-0 CAPLUS

CN 2-Thiopheneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -2-thienyl- (CA INDEX NAME)



RN 644468-45-1 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-methyl-, bromide (9CI) (CA INDEX NAME)



● Br⁻

RN 644468-46-2 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-[3-(3-hydroxyphenoxy)propyl]-, bromide (9CI) (CA INDEX NAME)



● Br⁻

RN 644468-48-4 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-methyl-, (3R)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-47-3

CMF C18 H23 N2 O2 S2


Absolute stereochemistry.



CM 2

CRN 14477-72-6

CMF C2 F3 O2



RN 644468-50-8 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-(2-propenyl)-, (3R)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-49-5

CMF C20 H25 N2 O2 S2


Absolute stereochemistry.



CM 2

CRN 14477-72-6

CMF C2 F3 O2




RN 644468-52-0 CAPLUS
 CN 1-Azoniabicyclo[2.2.2]octane, 1-heptyl-3-[(hydroxydi-2-thienylacetyl)amino]-, (3R)-, salt with trifluoroacetic acid (1:1) (9CI)
 (CA INDEX NAME)

CM 1


CRN 644468-51-9
 CMF C24 H35 N2 O2 S2

Absolute stereochemistry.




CM 2

CRN 14477-72-6
 CMF C2 F3 O2



RN 644468-53-1 CAPLUS
 CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-(3-phenylpropyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-55-3 CAPLUS
 CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-[(2E)-3-phenyl-2-propenyl]-, (3R)-, salt with trifluoroacetic acid (1:1) (9CI)
 (CA INDEX NAME)

CM 1


CRN 644468-54-2
 CMF C26 H29 N2 O2 S2

Absolute stereochemistry.
 Double bond geometry as shown.



CM 2


CRN 14477-72-6
 CMF C2 F3 O2



RN 644468-56-4 CAPLUS
 CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-(2-

phenoxyethyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-57-5 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-(3-phenoxypropyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● Br⁻

RN 644468-59-7 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-[2-(phenylmethoxy)ethyl]-, (3R)-, salt with trifluoroacetic acid (1:1) (9CI) (CA INDEX NAME)

CM 1

CRN 644468-58-6

CMF C26 H31 N2 O3 S2


Absolute stereochemistry.



CM 2

CRN 14477-72-6


CMF C2 F3 O2



RN 644468-60-0 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-[3-(2-thienyl)propyl]-, bromide, (3R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-61-1 CAPLUS

CN 2-Thiopheneacetamide, N-(3S)-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -2-thienyl- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-62-2 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydi-2-thienylacetyl)amino]-1-(3-phenoxypropyl)-, bromide, (3S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-63-3 CAPLUS

CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-cyclopentyl-α-hydroxy- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-64-4 CAPLUS


CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-hydroxy-α-propyl- (CA INDEX NAME)

Absolute stereochemistry.




RN 644468-65-5 CAPLUS
 CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-ethyl-
 α-hydroxy-, (αR)- (CA INDEX NAME)

Absolute stereochemistry.




RN 644468-66-6 CAPLUS
 CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-ethyl-
 α-hydroxy-, (αS)- (CA INDEX NAME)

Absolute stereochemistry.




RN 644468-67-7 CAPLUS
 CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-ethenyl-
 α-hydroxy-, (αR)- (CA INDEX NAME)

Absolute stereochemistry.



RN 644468-68-8 CAPLUS
 CN 2-Thiopheneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl-α-ethenyl-
 α-hydroxy-, (αS)- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-69-9 CAPLUS

CN Benzenepropanamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- α -phenyl-
(CA INDEX NAME)


Absolute stereochemistry.



RN 644468-70-2 CAPLUS

CN Benzeneacetamide, N-(3R)-1-azabicyclo[2.2.2]oct-3-yl- α -cyclopentyl- α -hydroxy- (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-86-0 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-[3-(2-benzothiazolyloxy)propyl]-3-[[2-(2-furanyl)-2-hydroxy-1-oxo-3-pentynyl]amino]-, chloride, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Cl⁻

RN 644468-87-1 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[[2-(2-furanyl)-2-hydroxy-1-oxo-3-pentynyl]amino]-1-[3-(1-naphthalenyloxy)propyl]-, chloride, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Cl⁻

RN 644468-88-2 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-[3-(1,3-benzodioxol-5-yloxy)propyl]-3-[[2-(2-furanyl)-2-hydroxy-1-oxo-3-pentynyl]amino]-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-89-3 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[[[(2S)-cyclopentylhydroxy-2-thienylacetyl]amino]-1-(4,4,4-trifluorobutyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-90-6 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[[[(2S)-cyclopentylhydroxy-2-thienylacetyl]amino]-1-(2-hydroxyethyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 644468-91-7 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-[4-(acetyloxy)butyl]-3-[[[(5-bromo-2-thienyl)(4-fluoro-3-methylphenyl)hydroxyacetyl]amino]-, bromide, (3R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● Br⁻

RN 644468-92-8 CAPLUS
 CN 1-Azoniabicyclo[2.2.2]octane, 3-[[[5-bromo-2-thienyl](4-fluoro-3-methylphenyl)hydroxyacetyl]amino]-1-(5-ethoxy-5-oxopentyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



● Br⁻

RN 644468-93-9 CAPLUS
 CN 1-Azoniabicyclo[2.2.2]octane, 1-(3-cyanopropyl)-3-[[[2-hydroxy-4-(4-methoxyphenyl)-1-oxo-2-(2-thienyl)butyl]amino]-, bromide, (3R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 644468-94-0 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 1-[2-(1,3-benzodioxol-2-yl)ethyl]-3-[[2-hydroxy-4-(4-methoxyphenyl)-1-oxo-2-(2-thienyl)butyl]amino]-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 644469-05-6 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 3-[[[(2S)-cyclopentylhydroxy-2-thienylacetyl]amino]-1-(2-ethoxyethyl)-, (3R)-, formate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 644469-04-5

CMF C22 H35 N2 O3 S


Absolute stereochemistry.



CM 2

CRN 71-47-6

CMF C H O2



RN 644469-07-8 CAPLUS


CN 1-Azoniabicyclo[2.2.2]octane, 1-[3-(acetylthio)propyl]-3-[[5-bromo-2-thienyl](4-fluoro-3-methylphenyl)hydroxyacetyl]amino]-, (3R)-, formate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 644469-06-7

CMF C25 H31 Br F N2 O3 S2


Absolute stereochemistry.



CM 2


CRN 71-47-6

CMF C H O2



RN 644469-08-9 CAPLUS
CN 1-Azoniabicyclo[2.2.2]octane, 3-[(di-2-thienylacetyl)amino]-1-(3-phenoxypropyl)-, bromide, (3R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L4 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1998:8644 CAPLUS
DOCUMENT NUMBER: 128:102011
TITLE: Preparation of pyridylacetamides as anticholinergics for treatment of pollakiuria and urinary incontinence
INVENTOR(S): Taniguchi, Kiyoshi; Tsubaki, Kazunori
PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 13 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 09328469	A	19971222	JP 1997-55064	19970310
PRIORITY APPLN. INFO.:			AU 1996-8629	A 19960313
OTHER SOURCE(S):	MARPAT	128:102011		


GI



II




III



Z⁻

IV

- AB R2CR1R3CONR10(A)nR4 (I; R1, R2 = aryl; R3 = OH, halo; R4 = II, III, IV; B = N, NR5+X⁻; C = NR6, NR7R8+Y⁻; R5 = lower alkyl, imino-protecting group; X⁻, Y⁻, Z⁻ = anion; R6 = H, lower alkyl, imino-protecting group; dotted line = optional single bond; R7, R8, R9 = lower alkyl; R10 = H, lower alkyl, A = lower alkylene; n = 0, 1; if R10 = H, then II (B = N or NR5+X⁻) or III (C = NR6) is bonded at 3-position) and their pharmaceutically acceptable salts are prepared 2-Hydroxy-N-methyl-2,2-diphenyl-N-[[1,2,3,6-tetrahydro-1-(4-methoxybenzyl)-4-pyridyl]methyl]acetamide (1.60 g) was deprotected using ClCO2CHClMe in ClCH2CH2Cl-MeOH under reflux for 50 min and reacted with HCl in AcOEt to give 695 mg I (R1 = R2 = Ph, R3 = OH, R10 = Me, R4 = 1,2,3,6-tetrahydro-4-pyridyl, A = CH2, n = 1) (V). V showed ED30 of 0.0056 mg/kg in inhibition of urinary bladder contractions in rats.
- IT 201340-53-6P 201340-54-7P 201340-55-8P
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of pyridylacetamides as anticholinergics for treatment of pollakiuria and urinary incontinence)
- RN 201340-53-6 CAPLUS
- CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydiphenylacetyl)amino]-1-methyl-, iodide (9CI) (CA INDEX NAME)




● I⁻

RN 201340-54-7 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydiphenylacetyl)amino]-1-methyl-, bromide, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




● Br⁻

RN 201340-55-8 CAPLUS

CN 1-Azoniabicyclo[2.2.2]octane, 3-[(hydroxydiphenylacetyl)amino]-1-methyl-, bromide, (R)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● Br⁻

IT 201340-52-5


RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of pyridylacetamides as anticholinergics for treatment of pollakiuria and urinary incontinence)

RN 201340-52-5 CAPLUS


CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -

phenyl- (CA INDEX NAME)




IT 201340-42-3P 201340-43-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation of pyridylacetamides as anticholinergics for treatment of
pollakiuria and urinary incontinence)
RN 201340-42-3 CAPLUS
CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -
phenyl-, (S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 201340-43-4 CAPLUS
CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -
phenyl-, (R)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.




L4 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1997:576686 CAPLUS
DOCUMENT NUMBER: 127:234215
TITLE: Preparation of non-peptidyl vasopressin V1a receptor
antagonists
INVENTOR(S): Bruns, Robert F., Jr.; Cooper, Robin D. G.; Dressman,
Bruce A.; Hunden, David C.; Kaldor, Stephen W.;
Koppel, Gary A.; Rizzo, John R.; Skelton, Jeffrey
James; et al.
PATENT ASSIGNEE(S): Eli Lilly and Co., USA; Bruns, Robert F., Jr.; Cooper,
Robin D. G.; Dressman, Bruce A.; Hunden, David C.;
Kaldor, Stephen W.; Koppel, Gary A.
SOURCE: PCT Int. Appl., 158 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9730707	A1	19970828	WO 1997-US3039	19970220
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, YU				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2246753	A1	19970828	CA 1997-2246753	19970220
CA 2246753	C	20050510		
AU 9719779	A	19970910	AU 1997-19779	19970220
EP 939632	A1	19990908	EP 1997-907895	19970220
EP 939632	B1	20051005		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, NL, SE, PT, IE, FI				
JP 2000504731	T	20000418	JP 1997-529647	19970220
AT 305781	T	20051015	AT 1997-907895	19970220
ES 2248840	T3	20060316	ES 1997-907895	19970220
US 6204260	B1	20010320	US 1999-125737	19990819
US 2002049187	A1	20020425	US 2000-733430	20001208
US 6521611	B2	20030218		
US 6610680	B1	20030826	US 2002-327240	20021220
PRIORITY APPLN. INFO.:				
			US 1996-12149P	P 19960223
			US 1996-12188P	P 19960223
			US 1996-12215P	P 19960223
			GB 1996-5044	A 19960309
			GB 1996-5045	A 19960309
			GB 1996-5046	A 19960309
			WO 1997-US3039	W 19970220
			US 1999-125737	A3 19990819
			US 2000-733430	A3 20001208
OTHER SOURCE(S):				
GI				
MARPAT 127:234215				



I



II

AB Azetidinones I [R1 = H, alkyl, carbamoyl, alkoxy, acyl, benzoyl, phenyl; R2 = H, OH, alkyl; R3 = phthalimido, azido, phenoxyacetamido, oxazolinyl, imidazoliny, pyrrolidinyl, ureido; Q = O, S, NR5; X = H, alkyl; R5 = H, alkyl, OH, alkoxy, carbonyl, benzyl] were prepared for use as vasopressin V1a receptor antagonists. Thus, azetidinone II was prepared starting from L-leucine benzyl ester, cinnamaldehyde, and 2-[4(S)-phenyloxazolidin-2-on-3-yl]acetyl chloride. II gave an IC50 value of 39 nM when tested for vasopressin V1a receptor binding affinity.

IT 195309-73-0P


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of non-peptidyl vasopressin V1a receptor antagonists)

RN 195309-73-0 CAPLUS


CN 1-Azetidineacetamide, N-1-azabicyclo[2.2.2]oct-2-yl- α -(2-ethyl-1,3-

dioxolan-2-yl)-2-oxo-3-(2-oxo-4-phenyl-3-oxazolidinyl)-4-(2-phenylethenyl)-
, [3S-[3α(R*),4α(E)]]-[partial]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.
Double bond geometry as shown.



L4 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1995:6185 CAPLUS
DOCUMENT NUMBER: 122:81073
TITLE: Agents for the treatment of overactive detrusor. VI. Synthesis and pharmacological properties of acetamide derivatives bearing cyclic amines in N-substituents
AUTHOR(S): Taniguchi, Kiyoshi; Tsubaki, Kazunori; Mizuno, Hiroaki; Take, Kazuhiko; Okumura, Kazuo; Terai, Takao; Shiokawa, Youichi
CORPORATE SOURCE: New Drug. Res. Lab., Fujisawa Pharm. Co., Ltd., Osaka, 532, Japan
SOURCE: Chemical & Pharmaceutical Bulletin (1994), 42(1), 74-84
CODEN: CPBTAL; ISSN: 0009-2363
DOCUMENT TYPE: Journal
LANGUAGE: English
GI



AB With the aim of improving the efficacy and decreasing the efficacy and decreasing the side effects of oxybutynin, N-[(tetrahydro-3-pyridyl)methyl]- or N-[(tetrahydro-4-pyridyl)methyl]-, N-(4-piperidyl)-, and N-(3-piperidylalkyl)- or N-(4-piperidylalkyl)-2-hydroxyacetamides (such as) I (X = H, halo, etc.; R1 = cyclohexyl, Ph, etc.; R4 = H, alkyl, etc.) and related carboxamides were prepared and evaluated for inhibitory activity against urinary bladder rhythmic contraction in rats and for mydriatic activity in rats. Some of these compds. were superior to oxybutynin in both inhibitory activity against bladder contraction and selectivity between inhibitory activity against bladder contraction and mydriatic activity. Judging from the effect of I (X = H, R1 = Ph, R4 = H) on detrusor contraction in vivo in guinea-pigs, it appeared that the inhibitory activity of I against bladder contraction in vivo was related mainly to its inhibitory activity against detrusor contraction in vitro


induced with carbachol (antimuscarine-like activity). The selectivity (20-fold) of I between inhibitory activity against bladder contraction and mydriatic activity was greatly superior to that (0.48-fold) of oxybutynin. Compound I was prepared by debenzoylation of the corresponding N-[[1-(4-methoxybenzyl)-tetrahydro-4-pyridyl]methyl] derivative

IT 153196-23-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, for treatment of urinary frequency or incontinence)

RN 153196-23-7 CAPLUS

CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -phenyl-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl.

L4 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1994:163981 CAPLUS

DOCUMENT NUMBER: 120:163981

TITLE: Preparation of substituted acetamides for treatment of bladder disorders

INVENTOR(S): Shiokawa, Youichi; Taniguchi, Kiyoshi; Take, Kazuhiko; Tsubaki, Kazunori; Mizuno, Hiroaki

PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl.

CODEN: PIXXD2




DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9316048	A1	19930819	WO 1993-JP142	19930204
W: CA, JP, KR, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			GB 1992-2443	A 19920205
OTHER SOURCE(S):		MARPAT 120:163981		
GI				



AB Title compds. R₁R₂R₃C(A₁)mCONH(A₂)nR₄ [I; R₁, R₂ = (un)substituted aryl; R₃ = H, OH, alkyl; R₄ = Q, Q₁, Q₂, Q₃; R₅ = Me, Et, Pr, iso-Pr, protecting group; R₆ = alkyl; R₇ = alkyl, protecting group; A₁, A₂ = alkylene; m, n = 0, 1; with provisos] are prepared HOCPh₂CONHCH₂Q₄ [Q₄ = 4-pyridyl]

(preparation


given) was treated with p-MeOC₆H₄CH₂Cl to give the quaternary ammonium compound II, which was reduced with NaBH₄ in MeOH and the resulting tetrahydropyridine derivative III was refluxed with ClCO₂CHClMe in CH₂Cl₂ to give, after treatment with 4N HCl, the title compound I.HCl [R₁ = R₂ = Ph, R₃ = OH, A₁ = bond, A₂ = CH₂, R₄ = 1,2,3,4-tetrahydro-4-pyridyl]. The tested I had an IC₃₀ of 0.005 mg/Kg s.c. in controlling bladder contraction in rats.

IT 153196-23-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, for treatment of bladder disorders)

RN 153196-23-7 CAPLUS

CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -hydroxy- α -phenyl-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

L4 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1992:106123 CAPLUS

DOCUMENT NUMBER: 116:106123

TITLE: 3-(N-substituted-amino)quinuclidines and preparation of optically active 3-aminoquinuclidine therefrom

INVENTOR(S): Kawakita, Takeshi; Sano, Mitsuharu; Kuroita, Takanobu; Ikezawa, Ryuhei

PATENT ASSIGNEE(S): Yoshitomi Pharmaceutical Industries, Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.

CODEN: JKXXAF


DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	JP 03218376	A	19910925	JP 1990-307953	19901113
PRIORITY APPLN. INFO.:				JP 1989-296938	A1 19891114
OTHER SOURCE(S):	MARPAT 116:106123				
GI	For diagram(s), see printed CA Issue.				
AB	3-Aminoquinuclidines I (R = N-protected amino acid residue) (II) and optically active II and a process for the preparation of optically active I (R = H) (III) by treatment of optically active N-protected amino acids with racemic III, followed by separation of the resultant diastereomeric II and hydrolysis. (S)- α -Tosylphenylalanine in CHCl ₃ was treated with SOCl ₂ under reflux for 45 min and the resultant acid chloride in CHCl ₃ was treated with (\pm)-III at room temperature for 30 min to give (S,S)-II.HCl (R = α -tosylphenylalanyl). This was treated with H ₂ SO ₄ under reflux for 4 h to give (S)-(-)-III.				
IT	139092-89-0P RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and decomposition of)				
RN	139092-89-0 CAPLUS				
CN	2H-Isoindole-2-acetamide, N-1-azabicyclo[2.2.2]oct-3-yl-1,3-dihydro-1,3-dioxo- α -(phenylmethyl)-, monohydrochloride, [S-(R*,S*)]- (9CI) (CA INDEX NAME)				



● HCl

L4 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1973:546358 CAPLUS

DOCUMENT NUMBER: 79:146358

ORIGINAL REFERENCE NO.: 79:23717a,23720a

TITLE: Synthesis and pharmacological study of 3-hydroxy- and 3-aminoquinuclidine derivatives

AUTHOR(S): Mikhlina, E. E.; Zaitseva, K. A.; Vorob'eva, V. Ya.; Mashkovskii, M. D.; Yakhontov, L. N.

CORPORATE SOURCE: Vses. Nauchno-Issled. Khim.-Farm. Inst. im. Ordzhonikidze, Moscow, USSR

SOURCE: Khimiko-Farmatsevticheskii Zhurnal (1973), 7(8), 20-4
CODEN: KHFZAN; ISSN: 0023-1134

DOCUMENT TYPE: Journal

LANGUAGE: Russian


GI For diagram(s), see printed CA Issue.

AB 3-Hydroxyquinuclidine reacted with 2,3,4-RR₁R₂C₆H₂COC₁ (R = HO, NO₂, Me, Cl, Br, H; R₁ = H, Me; R₂ = H, Cl, Me) (8 compds.) to give the corresponding (benzoyloxy)quinuclidines I. N-Quinuclidinyl amides II (R₃ = 4-O₂NC₆H₄, PhCH₂, PhCH₂CH₂, Ph₂CH, 4-ClC₆H₄OCH₂, 2,4-Cl₂C₆H₃) were prepared by condensation of 3-aminoquinuclidine with R₃COC₁. 3-Oxoquinoline reacted with HOCH₂CH₂NH₂ and was then hydrogenated to give (ethylamino)quinuclidine III (R = H; R₁ = HO), which underwent methylation and then chlorination to give III (R = Me; R₁ = Cl). The latter reacted with morpholine and 1-methylpiperazine to give III (R = Me; R₁ = morpholino, 4-methyl-1-piperazinyl). Cyanoethylation of

3-(methylamino)quinuclidine yielded III (R = Me, R1 = CN). Amides II possessed narcotic, nerve center blocking, and hypotensive activity.

IT 50684-14-5P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation, nerve center blocking and hypotensive activity of)

RN 50684-14-5 CAPLUS
 CN Benzeneacetamide, N-1-azabicyclo[2.2.2]oct-3-yl- α -phenyl-,
 monohydrochloride (9CI) (CA INDEX NAME)



● HCl

L4 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1954:35976 CAPLUS
 DOCUMENT NUMBER: 48:35976
 ORIGINAL REFERENCE NO.: 48:6438f-i,6439a-d
 TITLE: Antispasmodics. II. Esters of basic bicyclic alcohols
 AUTHOR(S): Sternbach, L. H.; Kaiser, S.
 CORPORATE SOURCE: Hoffmann-La Roche, Nutley, NJ
 SOURCE: Journal of the American Chemical Society (1952), 74,
 2219-21
 CODEN: JACSAT; ISSN: 0002-7863


DOCUMENT TYPE: Journal
 LANGUAGE: Unavailable

GI For diagram(s), see printed CA Issue.

AB The 7 basic alcs., 3-quinuclidinol (I), 2-benzyl-3-quinuclidinol (II), 1-azabicyclo[3.2.1]-6-octanol (III), 1-azabicyclo[3.3.1]-4-nonanol (IV), 1-azabicyclo[3.3.1]-2-methyl-4-nonanol (V), and octahydro-1-pyrrocolinol (VI), were esterified with Ph₂CHCO₂H (VII), and I and III with other related acids. Of the 17 compds. prepared (see below), 5 showed an antiacetylcholine activity equaling or surpassing that of atropine. Of the 2 enantiomorphous 3-diphenylacetyl quinuclidines derived from the optical antipodes of I, the l-isomer has the most antiacetylcholine activity, while the d-isomer shows very low potency; the toxicities of both isomers are equal. Other relationships between structure and activity are discussed. Preparation of esters. Procedure A: The acid chloride and alc. (0.05 mole each) in 300 cc. C₆H₆ refluxed 15 hrs., and the product held 24 hrs. at 5°, then filtered yielded the ester. Procedure B: The acid chloride and alc. (or diamine) in 300 cc. C₆H₆ were refluxed 15 hrs., the product was cooled, acidified with ice-cold HCl, the aqueous solution washed with C₆H₆ or Et₂O, the base liberated with ice-cold alkali, and extracted with Et₂O. Procedure C: The basic alc. was refluxed with Na in 50 cc. PhMe 2-4 hrs., the alcoholate cooled with ice, treated with Ph₂CClCOCl in 20-40 cc. PhMe, the mixture stirred 1 hr. at room temperature, treated with iso-PrOH, 120 cc. N HCl added, the mixture refluxed 10 min., the aqueous phase made alkaline and extracted with Et₂O or CH₃Cl. Procedure D: Preparation of salts of the basic esters. A cold alc. solution of the ester was neutralized with the dilute acid. Procedure E: Mixture of tropic and atropic esters of I. Acetylcholine chloride (from 3.32 g. of tropic acid) in 10 cc. C₆H₆ added to 2.6 g. I in 100 cc. C₆H₆, the mixture let stand 14 hrs. at room temperature, heated 2 hrs. at 50°, cooled, extracted with ice-cold dilute HCl, the aqueous solution made alkaline, the ester extracted with Et₂O, the Et₂O solution

concentrated in vacuo, the residue in N alc. titrated with N NaOH (phenolphthalein) at 30-45°, the mixture diluted with water, extracted with Et2O, and the extract concentrated in vacuo to yield 2 g. of oil. Procedure F: Equivalent amts. of Ph2C(CH2CH:CH2)COCl (VIII) and Et2NCH2CH2Cl were refluxed 20 hrs. and the product isolated by procedures B and D. Procedure G: The mixture of esters from d- and dl-I with VII was resolved by fractional crystallization from petr. ether to give the d-ester, [α]25D 10.5° (c 3.3, 0.5N HCl); m.p. not depressed by mixture with the racemate. Procedure H: Free VI (from the picrate, cf. part I) was esterified by procedure B. Base, Acid, Procedure, % Yield, M.p. °C., Activity(atropine = 1); I, VII, B, 86, 95-6, ; I, VII-sulfate, D, , 95-103, 1; l-I, VII, B, 80, 89-90, 2; d-I, VII, G + B, , 89-90, 1/12; I, Benzilic, C, 40-60, 164-5, ; I, Benzilic-HCl, D, , 239-41, 2; I, 9-Fluorenicarboxylic-HCl (IX), A, 90, 201-5, 2; I, Tropic + atropic, E, 40, Oil, 1/2; I, VIII, C + D, 50, 185-91, 1/25-1/50; (a), VIII, F, 50, 108-10, 1/500; II, VII, A, 50, 250-2, 1/40-1/25; III, VII, A, 80, 191-2, 1/2; III, IX, A, 84, 212-20, 1; IV, VII, A, 88, 214-16, 1/10; V, VII, A, 92, 188-90, 1/5-1/10; VI, VII, H, , 64-6, 1/100; (b), VII, B, , 177-9, <1/100; (a) Et2NCH2CH2OH. (b) 3-Aminoquinuclidine.

IT 860503-38-4P, Quinuclidine, 3-(2,2-diphenylacetamido)-
 RL: PREP (Preparation)
 (preparation of)
 RN 860503-38-4 CAPLUS
 CN Quinuclidine, 3-(2,2-diphenylacetamido)- (5CI) (CA INDEX NAME)



=> FIL STNGUIDE
 COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
48.37	220.68

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-7.02	-7.02

CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 06:47:18 ON 20 NOV 2007
 USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
 COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE CONTAINS CURRENT INFORMATION.
 LAST RELOADED: Nov 16, 2007 (20071116/UP).

=> d his

(FILE 'HOME' ENTERED AT 06:45:15 ON 20 NOV 2007)

FILE 'REGISTRY' ENTERED AT 06:45:37 ON 20 NOV 2007

L1 STRUCTURE UPLOADED

L2 1 S L1

L3 88 S L1 FULL

FILE 'CAPLUS' ENTERED AT 06:46:05 ON 20 NOV 2007

L4 9 S L3 FULL

FILE 'STNGUIDE' ENTERED AT 06:47:18 ON 20 NOV 2007

=> log y

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.36

221.04

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-7.02

STN INTERNATIONAL LOGOFF AT 06:50:54 ON 20 NOV 2007